



FiberGutter Sales Presentation

Fiberglass Building Products Inc.

546 Plymouth St

Halifax, MA 02338

www.fibergutter.com

What is Fibergutter?



Fiberglass Gutter & Downspout

FiberGutter® brand Fiberglass Gutter will never chip, dent, corrode, leak or rust.

Unmatched Durability & Strength
The strength of these fiberglass gutters provides unmatched impact resistance and virtually zero expansion and contraction eliminating maintenance, moisture damage, and rotting associated with other gutter materials.

FiberGutter is highly UV stable, and significantly more impact resistant than vinyl, aluminum and copper gutters.

www.fibergutter.com

FG6016	4x5 Fiberglass Gutter (16ft)
FG6024	4x5 Fiberglass Gutter (24ft)
FG6040	4x5 Fiberglass Gutter (40ft)
FG9016	4x6 Fiberglass Gutter (16ft)
FG9024	4x6 Fiberglass Gutter (24ft)
FG9040	4x6 Fiberglass Gutter (40ft)
FGEC1	4x5 Fiberglass Endcap G-60
FGEC2	4x6 Fiberglass Endcap G-90
FG238	PVC Downspout Outlet 2-1/2"
FGSCREW3	FiberGutter Structural Screw (Box of 50)
DSPR-10	3" Plain Round Fiberglass Downspout (10')
DSPR-EL75	3" Plain Round Fiberglass Elbow 75 Degree
DSSQ-10	3" x 3" Square Fiberglass Downspout (10')
DSPR-EL75	3" Square Fiberglass Elbow
FDSTAB1	Downspout Connecting Tab
DSHGRD3	3" Round Downspout Hanger
DSHGSS3	3" Square Downspout Hanger

- Made from high-strength fiberglass—durable, rot-resistant, and maintenance-free
 - Designed to replicate the traditional look of wood gutters
- Perfect for high-end homes, historical restorations, and coastal environments
 - 50 Year Warranty
 - Made in the USA

Advantages of Fiberglass




- Durable
- Paintable
- Lightweight
- Impact Resistant
- UV Resistant
- Minimal Expansion / Contraction
- Sustainable



Fiberglass Pultrusion

- **Pultrusion: The Future of High-Performance Composites**
- Pultrusion allows us to manufacture 6000 feet per day as opposed to 300 feet when we manufactured by hand
- Pultrusion is a cutting-edge, continuous manufacturing process that creates strong, lightweight composite materials with a consistent cross-section. It's the perfect solution for industries that demand durability, corrosion resistance, and superior strength.
- Here's how it works: high-performance fibers—whether woven, braided, or continuous strands—are fully saturated with a specially formulated resin, then pulled through a heated die. As they pass through, the resin undergoes polymerization, locking in strength and resilience.
- We use a variety of advanced resins, including polyester, vinyl ester, and epoxy, each designed to maximize performance. The resin ensures outstanding resistance to corrosion, UV exposure, and impacts, while the reinforced glass fibers provide unmatched structural integrity and fire safety.
- **Why Choose Pultrusion?**
 - ✓ **Superior Strength-to-Weight Ratio** – Stronger than steel, yet significantly lighter.
 - ✓ **Exceptional Durability** – Built to withstand extreme conditions.
 - ✓ **Corrosion & UV Resistance** – Ideal for outdoor and industrial applications.
 - ✓ **Customizable & Cost-Effective** – Designed to fit your exact needs with minimal waste.



Why Choose Fiberglass?

- **Why Fiberglass is the Ultimate Choice for Gutter Systems**

- When it comes to gutters, not all materials are created equal. **Fiberglass** delivers **unmatched durability, performance, and long-term value**—making it the go-to solution for architects, contractors, and homeowners who demand the best.

- **What Sets Fiberglass Apart?**

- **Built to Last** – Unlike traditional materials, Fiberglass won't rot, warp, or deteriorate over time, ensuring decades of worry-free performance.
- **Superior Strength** – Engineered for high-impact resistance, our gutters handle extreme weather conditions without sagging or breaking.
- **Maintenance-Free** – Say goodbye to constant repairs! Fiberglass resists rust, corrosion, and pests, meaning less upkeep and more peace of mind.
- **Seamless Aesthetic** – Designed to blend seamlessly with classic and modern architecture, offering a clean, polished look.
- **Easy Installation** – Lightweight yet incredibly strong, Fiberglass installs quickly and efficiently—saving time and labor costs.
- **Trusted by Industry Professionals** – Architects and builders specify Fiberglass for new construction, renovations, historic restorations, and commercial projects because of its superior performance.

- **Make the Switch to Fiberglass**

- Invest in a gutter system that **outperforms wood, aluminum, and vinyl in every way**. Choose **Fiberglass**—the smart, long-lasting solution for premium projects.



Why Choose Fibergutter?



Figure 13: Painted Fibergutter on 12 Vernon St., Brookline, MA. This house built in 1890 is on the National Register of Historic Places (Ref. # 85003280).



- Case Study #1:** Historical Restoration Project in Massachusetts "As a contractor specializing in historical restorations, finding materials that combine authenticity and durability is a constant challenge. Fibergutter proved to be the perfect solution for our project in Massachusetts. Their products maintained the historical integrity of the building while offering modern resilience against the elements. The team at Fibergutter was incredibly knowledgeable and provided all the support we needed, from samples to installation guidance. Thanks to them, we preserved history without compromising quality. I highly recommend Fibergutter for any restoration project."— John D., Historical Restoration Contractor
- Case Study #2:** Coastal Property on Cape Cod Withstanding Harsh Weather "Living on the coast, our home faces extreme weather conditions year-round. We needed a gutter system that could handle salt air, heavy rain, and high winds without frequent maintenance or replacement. Fibergutter exceeded our expectations. Their fiberglass gutters are not only aesthetically pleasing but have proven to be incredibly durable through multiple storms. We're confident that this was the best investment we could make to protect our home. Thank you, Fibergutter, for providing a product that's as tough as it is beautiful."— Lisa and Mark R., Homeowners
- Testimonial from Contractors:** "Fibergutter is the gold standard in gutter systems. As a contractor, I rely on their products for their exceptional quality, ease of installation, and ability to meet the demands of my clients, whether it's a historic restoration or a new build. My clients are consistently impressed with the durability and timeless look of their gutters. Fibergutter is more than just a product—it's a partnership with a company that truly cares about its customers."— Steve M., Contractor
- Testimonial from Homeowners:** "We've tried other gutter systems before, but none compare to Fibergutter. From their seamless design to their unmatched durability, these gutters have transformed the look and functionality of our home. Whether you're in a historic town or on the coast, Fibergutter is the clear choice."— The Johnson Family, Homeowners

FiberGutter FAQ

What Length is FiberGutter Manufactured?

Our FiberGutter is manufactured in 16', 24', & 40' lengths.

What Other Accessories do I Need with FiberGutter?

We have a complete list of accessories on our [MEASUREMENT FORM](#)

Can my Contractor Install FiberGutter?

Yes, we have painters, exterior contractors, general contractors, carpenters and handymen install FiberGutter. We even have the DIY homeowners purchase gutter and accessories and successfully install it themselves.

How is FiberGutter Attached to the Fascia Board?

The fasteners is a 2-1/2 inch 316 Stainless Fastener that should be screwed into the back of the gutter at every rafter end. NO Brackets to clog the gutter!

What Profiles are Available?

We have the standard 4x5 and 4x6 replicas of the Boston Proper Wood Gutter, and a 4x5 with a 1-3/4" Bedmolding attached

You can always install a PVC or wood molding below the gutter at the time of Installation to achieve your desired appearance.

How Do I cut FiberGutter?


We recommend using a Standard 12" Miter Saw with a Carbide Blade or Diamond Blade. See complete [INSTRUCTIONAL VIDEO](#)

What color is the gutter?

The gutter is manufactured in a UV protected white resin and can be painted with any latex paint. Most contractors will paint the gutter along with the trim. Paint on fiberglass can last 5 times longer than paint on wood

How are the seams assembled?


We have created a system to simplify the entire installation using our proprietary product called GutterGlue.




FiberGutter Profiles




Part: FG60
4X5 Fiberglass Gutter
FG6016 – 16' Length
FG6024 – 24' Length
FG6040 – 40' Length




Part: FG90
4X6 Fiberglass Gutter
FG9016 – 16' Length
FG9024 – 24' Length
FG9040 – 40' Length



Part: FG75
4X5 Fiberglass Gutter with Bed Molding
FG7516 – 16' Length
FG7524 – 24' Length
FG7540 – 40' Length




Fiberglass Square Downspout




Part: DSSQ-10
3" Square Fiberglass Downspout



PART: DSHGSS3
3" SQUARE DOWNSPOUT HANGER
(2 HANGERS RECOMMENDED FOR EACH PIPE)




Part: DSSQ-EL75
3" Square Fiberglass Downspout Elbow



Part: FDSTAB2
3" Square connection sleeve
(For connecting pipes and elbows together use gutter glue)

Fiberglass Round Downspout



Part: DSPR-10
3" Plain Round Fiberglass Downspout 10'



Part: DSHGRD3
3" Round downspout hanger (2 hangers per pipe)



Part: DSPR-EL75
3" Plain Round Fiberglass Downspout Elbow



Part: FDSTAB1
3" Round connecting sleeve
For connecting elbows and pipes together.

FiberGutter Accessories



Part: FG2P10

Instant Fiberglass Adhesive, Two Part, Adhesive Kit

2P-10 is used to temporarily hold together end caps seams and miters before the GutterGlue is applied. This is a great tool to simplify your installation.

2P-10 is a two-part ten-second adhesive. Just apply the adhesive, then spray the activator and stick it together for a strong, permanent bond.



Part: FGGG220 GutterGlue

GutterGlue is used to seal miters, seams, endcaps and outlets. It comes in a kit which contains the glue, tongue depressors, mixing tips, fiberglass Tape (only required for seams and miters) and 36 Grit sandpaper.

Permanent unitizing structural adhesive, UV inhibitors, rapid curing, two-component adhesive formulated and colored for FiberGutter applications, fast setting, easy to apply.



GUTTERGLUE APPLICATOR GUN PART : FGDISP-220ML

GutterGlue Applicator Gun 220ml
Maximum time and cost efficiency during small or space-intensive adhesive applications
Designed for use with 220ml GutterGlue cartridges
Premixes two-part adhesives right from the cartridge, saving time and money

FiberGutter Accessories



Part: FGEC₁

Fiberglass End Cap (G60)(G75) (4x5)

The FiberGutter End Cap prevents water from escaping the end of a gutter. The end cap has a white finish and a durable fiberglass construction.

- Fiberglass construction
- White Finish
- Paintable
- Use at the end of a FiberGutter run
- Requires GutterGlue to complete installation



Part: FGEC₂

Fiberglass End Cap (G90) (4x6)

The FiberGutter End Cap prevents water from escaping the end of a gutter. The end cap has a white finish and a durable fiberglass construction.

- Fiberglass construction
- White Finish
- Paintable
- Use at the end of a FiberGutter run
- Requires GutterGlue to complete installation

FiberGutter Accessories



FG238

FiberGutter PVC Outlet

The FiberGutter Downspout Outlet can be used to direct water from the gutter into the downspout. Featuring durable PVC construction, this downspout outlet can be used with any type of downspout. GutterGlue and a 2-3/8" Hole Saw is required and to install.

- PVC construction for durability
- Directs water from gutter into downspout
- To install, cut a hole in gutter and insert outlet
- GutterGlue required for installation



FGSCREW3

Structural Fastener

The FiberGutter structural screw is made of stainless steel to provide you with tensile, torque and shear strength. The sharp threads and points bite instantly into the back wall of FiberGutter without having to Pre-Drill. The round head with built-in shield (washer type head) has no sharp edges like conventional lag screws. All structural fasteners carry a lifetime warranty.

FiberGutter Accessories

Why Choose FiberGutter Gutter Guard?

FiberGutter Gutter Guard offers superior protection, ensuring a self-cleaning and low-maintenance solution for your gutters. Designed for maximum performance, it keeps debris out while allowing water to flow freely, making it one of the most advanced gutter protection systems available today.

Universal Fit for Every Home

FiberGutter Gutter Guard is designed to work with a variety of roof and gutter styles:

- Compatible with all roof types
- Fits standard 5" and 6" gutters
- Can be adjusted to fit gutters ranging from 4" to 10"
- Flexible design allows for seamless installation in various applications

Handles Heavy Rainfall

No matter the intensity of the storm, FiberGutter Gutter Guard effectively manages water flow. It performs exceptionally well in high-volume areas, such as roof valleys, where many other products fail.

Built for Strength & Durability


Made from a high-quality blend of polypropylene with UV stabilizers, FiberGutter Gutter Guard is engineered to withstand extreme weather conditions—from scorching heat to freezing temperatures. Its durable construction ensures long-lasting performance, providing year-round gutter protection.

Discreet & Low-Profile Design

FiberGutter Gutter Guard is designed to blend seamlessly with your roofline. Its black color creates a natural shadow effect, making it virtually invisible from the street—unlike bulky gutter covers that stand out.

Helps Manage Ice Build-Up

During colder months, the black surface of FiberGutter Gutter Guard absorbs sunlight, naturally assisting in melting snow and ice to maintain proper water flow. In areas prone to excessive ice buildup, heat cables can be added for extra protection, particularly on north-facing sections that receive limited sunlight.





Fiberglass Gutter & Downspout

FiberGutter® brand Fiberglass Gutter will never chip, dent, corrode, leak or rust.

Unmatched Durability & Strength

The strength of these fiberglass gutters provides unmatched impact resistance and virtually zero expansion and contraction eliminating maintenance, moisture damage, and rotting associated with other gutter materials.

FiberGutter is highly UV stable, and significantly more impact resistant than vinyl, aluminum and copper gutters.

www.fiberglassutter.com

FG6016	4x5 Fiberglass Gutter (16ft)
FG6024	4x5 Fiberglass Gutter (24ft)
FG6040	4x5 Fiberglass Gutter (40ft)
FG9016	4x6 Fiberglass Gutter (16ft)
FG9024	4x6 Fiberglass Gutter (24ft)
FG9040	4x6 Fiberglass Gutter (40ft)
FGEC1	4x5 Fiberglass Endcap G-60
FGEC2	4x6 Fiberglass Endcap G-90
FG238	PVC Downspout Outlet 2-1/2"
FGSCREW3	FiberGutter Structural Screw (Box of 50)
DSPR-10	3" Plain Round Fiberglass Downspout (10')
DSPR-EL75	3" Plain Round Fiberglass Elbow 75 Degree
DSSQ-10	3" x 3" Square Fiberglass Downspout (10')
DSPR-EL75	3" Square Fiberglass Elbow
FDSTAB1	Downspout Connecting Tab
DSHGRD3	3" Round Downspout Hanger
DSHGSS3	3" Square Downspout Hanger



FIBERGUTTER® Fiberglass Rain Gutter System



Part #	Description	QTY
FG6016	4x5 Fiberglass Gutter (16ft)	
FG6024	4x5 Fiberglass Gutter (24ft)	
FG6040	4x5 Fiberglass Gutter (40ft)	
FG9016	4x6 Fiberglass Gutter (16ft)	
FG9024	4x6 Fiberglass Gutter (24ft)	
FG9040	4x6 Fiberglass Gutter (40ft)	
FG7516	4X5 Fiberglass Gutter w/ 1-3/4" Bed Molding (16')	
FG7524	4X5 Fiberglass Gutter w/ 1-3/4" Bed Molding (24')	
FG7540	4X5 Fiberglass Gutter w/ 1-3/4" Bed Molding (40')	
DSPR-10	3" Plain Round Fiberglass Downspout (10')	
DSPR-EL75	3" Plain Round Fiberglass Elbow (75 Degree)	
FDSTAB1	Downspout Connecting Sleeve 3" Plain Round (Use gutter Glue to connect to pipes and elbows)	
DSHGRD3	3" Plain Round Downspout Hanger (2 hangers per pipe)	
DSSQ-10	3" x 3" Square Fiberglass Downspout (10')	
DSSQ-EL75	3" Square Fiberglass Elbow (75 degree)	
FDSTAB2	Downspout Connecting Sleeve 3" Square (Use gutter Glue to connect to pipes and elbows)	
DSHGSS3	3" x 3" Square Downspout Hanger (2 hangers per pipe)	
FGEC1	4x5 Fiberglass Endcap G-60, G75	
FGEC2	4x6 Fiberglass Endcap G-90	
FG238	PVC Downspout Outlet 2-1/2" (use 2-3/8" hole saw)	
FGGG220	GutterGlue Seaming Kit (2 miters - 2 Outlets - 2 Endcaps)(Gutter glue applicator gun required)	
MT80	GutterGlue Mixing Tips (24 Count)	
ST2GG	2" FiberGlass Woven Seam Tape (50')	
FGDISP-220ML	GutterGlue Applicator Gun (220ml)	
FGRDGG	4 x 5 and 4X6 Fiberglass Leaf Guard RDGG (3' pc) (30 pc per box)	
GRK60S-1	Structural Screw Stainless (50Ct) 2-1/2" x 5/16" (1 screw per 1.5 feet or every rafter tail)	
FG2P10	instant adhesive Holds parts together for easy assembly before gutter glue is applied (2p10)	

Additional items	Typical gutter install will require
Hole saw 2-3/8"	Gutter
Diamond saw blade or nonferrous metal blade 12" 96 tooth	Outlets
Acetone	Endcaps
Rags	Screws
Rubber gloves	Gutter Glue
Sealant to back seal gutter if applicable	Instant adhesive (2p10)
6" Extension for impact gun (makes driving screws easier)	Downspouts
T 30 Bit	

Fiberglassutter® is a registered trademark of Fiberglass Building Products Inc

Fibergutter Sales Resources

- Company Website: <https://www.fibergutter.com>
- Product Overview: <https://www.fibergutter.com/products>
- Installation Guide: <https://www.fibergutter.com/installation>
- Architectural Resources: <https://www.fibergutter.com/architects>
- Contractor Resources: <https://fibergutter.com/contractors/>
- Homeowner Resources: <https://fibergutter.com/homeowners/>
- Warranty Information: <https://www.fibergutter.com/warranty>
- Find a Distributor/Dealer: <https://fibergutter.com/where-to-buy/>
- Photo Gallery: <https://www.fibergutter.com/gallery>
- Video Demonstrations (YouTube Channel): <https://www.youtube.com/@fibergutter4717>
- Social Media: www.facebook.com/fibergutter
- Customer Service & Sales Inquiries: <https://www.fibergutter.com/contact>



FIBERGUTTER®

Fiberglass Building Products Inc.

546 Plymouth St

Halifax, MA 02338

Office: (781) 754-4890

www.fiberglassgutter.com